ELSEVIER

Volume 229, Numbers 1–2, February 1995

Inorganica Chimica Acta

Contents

Preface 1

Preliminary Communications

Calixarene complexes of the molybdenum–molybdenum quadruple bond. 5
J.A. Acho, S.J. Lippard (Cambridge, MA, USA)

A model for the 'shuttling ligand' of cytochrome *c* oxidase. The synthesis and spectroscopic characterization of allyl–Fe(TPP) and Cp–Fe(TPP) 9
C.A. James, W. Woodruff (Los Alamos, NM, USA)

Organometallic phosphazenes: synthesis and characterization of Pt(II) and Pt(0) cinnammonitrile cyclophosphazene derivatives 13
U. Belluco, R. Bertani, R.A. Michelin, M. Mozzon, F. Zingales, M. Gleria (Padua, Italy)

Articles

Conformational diversity in the solid state structures of $[Rh_2(\mu\text{-}CH_3N(P(OCH_3)_2)_2)_2(CH_3N(P(OCH_3)_2)_2)_2]X_2$ ($X = O_3SCF_3$, $B(C_6H_5)_4$) 17
J.T. Mague (New Orleans, LA, USA)

Preparation of anhydrous vanadium(II) sulfate compounds from aqueous solutions: the synthesis and characterization of $[V(en)_3]SO_4$, $V(bpy)_2SO_4$ and $V(py)_4SO_4$ 27
L.M. Daniels (College Station, TX, USA), C.A. Murillo (College Station, TX, USA, and Ciudad Universitaria, Costa Rica), K.G. Rodríguez (Ciudad Universitaria, Costa Rica)

An asymmetric homodinuclear complex containing the μ-oxo-bis(μ-carboxylato)diruthenium(III) core: X-ray structure of $[Ru_2O(O_2CC_6H_4\text{-}p\text{-}OMe)_3(en)(PPh_3)_2](ClO_4)\cdot 3CHCl_3$ 33
A. Syamala, M. Nethaji, A.R. Chakravarty (Bangalore, India)

The resolution of CpMo(NO)(methylallyl)(X) complexes. X-ray crystal structures of (−)-CpMo(NO)(*syn*-crotyl)((1*S*)-10-camphorsulfonate) and $(\mu\text{-}OH)_2[CpMo(NO)I]_2$ 39
J.W. Faller, K.J. Chase, M.R. Mazzieri (New Haven, CT, USA)

Coordination and fragmentation of 1,4-dithiacyclohexane by a triosmium cluster 47
R.D. Adams, L. Chen, J.H. Yamamoto (Columbia, SC, USA)

Preparation of *cis*-$[MoI_4(Ph_2PCH_2CH_2PPh_2)]^-$ and structure of $(THF)_3Na(\mu\text{-}I)_3MoI(Ph_2PCH_2CH_2PPh_2)$ with a new coordination environment around sodium 55
S.P. Mattamana, R. Poli (College Park, MD, USA)

Activation of dinuclear gold(I) ylide complexes by Lewis acids. Isomerization of *trans*-$[Au(CH_2)_2PPhMe]_2$, and the crystal structures of $[Au(CH_2)_2PPhMe]_2$, $[Au(CH_2)_2PPhMe]_2[SO_2]_2$, $[Au(CH_2)_2PPh_2]_2[SO_2]_2$ and $[Au(CH_2)_2PPhMe]_2[S_2CNEt_2]_2$ 61
D.D. Heinrich, R.J. Staples, J.P. Fackler, Jr. (College Station, TX, USA)

Synthesis and structure of $\{Cu_2(EBPYT)_3(PF_6)_2\}_n$ (where EBPYT = *N*,*N*′-ethylenebis(pyridin-2-thione)); a novel polymeric complex containing 4-, 18- and 36-membered rings 77
D.M.L. Goodgame, D.A. Katahira, S. Menzer, D.J. Williams (London, UK)

Evidence of zeolite-solution equilibrium for isomorphous substitution using aqueous metal fluoride complexes 81
S. Han, K.D. Schmitt, S.E. Schramm, D.S. Shihabi, C.D. Chang (Princeton, NJ, USA)

Neutral and anionic halide complexes of ruthenium(IV) 87
J.W. Steed, D.A. Tocher (London, UK)

Elsevier Science S.A.

Synthesis and crystal structure of the unique chiral anion $[Re_2Cl_7PBzMePh]^-$ and the direct determination of its δ-bond energy by molecular modelling 95
P. McArdle, M. Robbitte, D. Cunningham (Galway, Ireland)

Circular dichroism of configurationally chiral dimolybdenum complexes with chiral diamine ligands 101
M. Gerards (Bochum, Germany)

Reactions of monodentate tertiary phosphines with the dirhenium(II) alkyne complexes $[Re_2Cl_3(\mu\text{-dppm})_2(CO)(\eta^2\text{-RCCH})]X$ ($X = PF_6$ or O_3SCF_3) to form ylides 105
K.-Y. Shih, R.M. Tylicki, W. Wu, P.E. Fanwick, R.A. Walton (West Lafayette, IN, USA)

Synthesis and structure of $W_2Cl_4(\mu\text{-dppm})_2(\eta^2\text{-}\mu\text{-}CH_3CN)$ 113
J.L. Eglin, E.M. Hines (Mississippi State, MS, USA), E.J. Valente (Clinton, MS, USA), J.D. Zubkowski (Jackson, MS, USA)

Reaction of tetraethylorthosilicate and hexafluoroacetone trihydrate. 121
J.P. Carpenter, C.M. Lukehart, B.T. Price, J.E. Wittig (Nashville, TN, USA)

Tetrakis (μ-difluoroacetato)dimolybdenum(II): solution chemistry and mass spectrum 127
T.R. Webb, J.D. Pollard, G.W. Goodloe, M.L. McKee (Auburn, AL, USA)

Characterization of the isocyanurate complexes $[M(cyan\text{-}N)(H_2O)_5](cyan\text{-}N)\cdot 2H_2O$ (M = Ni, Co, Mn) compounds that form molecular ribbons in the solid state 135
L.R. Falvello, I. Pascual, M. Tomás (Zaragoza, Spain)

Metal–metal interaction in ligand-bridged dimolybdenum(0,0) and -(I,0) complexes with very small frontier orbital gaps: electrochemistry and spectroscopic properties of three neighboring oxidation states 143
W. Kaim, W. Bruns, S. Kohlmann (Stuttgart, Germany), M. Krejčik (Prague, Czech Republic)

Synthesis and structural characterization of some molybdenum carbonyl nitrosyl complexes of diethyldithiocarbamate 153
K.-B. Shiu, S.-T. Lin (Tainan, Taiwan), S.-M. Peng, M.-C. Cheng (Taipei, Taiwan)

Preparation and spectroscopic studies of the complexes of diacetamide with metal(II) perchlorates 165
M. Goodgame, I. Hussain (London, UK)

Atomic orbital energies in calcium to copper. 171
J.L. Bills, R.L. Snow (Provo, UT, USA)

Synthesis, spectroscopic studies and reactivity of η^6-arene derivatives of titanium(IV). 179
F. Calderazzo, G. Pampaloni, A. Vallieri (Pisa, Italy)

Hindered rotation about single bonds in $RuHX(CO)(P^tBu_2Me)_2$ and $IrHCl_2(P^tBu_2Me)_2$ 187
J.U. Notheis, R.H. Heyn, K.G. Caulton (Bloomington, IN, USA)

Transition metal complexes of a tridentate biquinone ligand: electronic structures, charge distributions and magnetic properties 195
T. Ren (Melbourne, FL, USA)

Photochemical ligand rearrangement in dirhodium(II) compounds. Structure of $Rh_2(O_2CCH_3)_2(\eta^2\text{-}O_2CCH_3)[(C_6H_4)PPh_2](\eta^2\text{-PCCl})$ ($PCCl = P(o\text{-}ClC_6H_4)Ph_2$) 203
A. Garcia-Bernabé, P. Lahuerta, M.A. Ubeda (Burjassot-Valencia, Spain), S. Garía-Granda, P. Pertierra (Oviedo, Spain)

Oxamide oxime-based copper(II) coordination polymers. Two- and three-dimensional structures controlled by dicarboxylates 211
S. Kawata, S. Kitagawa, H. Machida, T. Nakamoto, M. Kondo, M. Katada, K. Kikuchi, I. Ikemoto (Hachioji, Japan)

The ligand polyhedral model and its application to the fluxional behaviour of $M_4(CO)_{12-n}$ (M = Co, Rh, Ir; $n = 1, 2, 4$) clusters 221
Y.V. Roberts, B.F.G. Johnson (Edinburgh, UK), R.E. Benfield (Canterbury, UK)

Protein-bound iron–sulfur clusters: application of a structural database 229
J.R. Long, R.H. Holm (Cambridge, MA, USA)

Preparation and characterization of dirhenium complex anions of the type $[Re_2Cl_7(dithioether)]^-$ with Re–Re quadruple bonds 241
B.J. Heyen, J.G. Jennings, G.L. Powell (Abilene, TX, USA)

Sorption and coprecipitation of trace concentrations of thorium with various minerals under conditions simulating an acid uranium mill effluent environment. 247
E.R. Landa (Reston, VA, USA), A.H. Le (Silver Spring, MD, USA), R.L. Luck, P.J. Yeich (Washington, DC, USA)

Bisperoxovanadium compounds: synthesis and reactivity of some insulin mimetic complexes. 253
A. Shaver, D.A. Hall, J.B. Ng, A.-M. Lebuis, R.C. Hynes, B.I. Posner (Montreal, Que., Canada)

A novel triply bridged dinuclear manganese(III) complex containing the $[Mn_2O(OAc)_2]^{2+}$ core: synthesis, crystal structure and properties of $[Mn_2(\mu\text{-}O)(\mu\text{-}OAc)_2(bpea)_2](ClO_4)_2$ 261
S.K. Mandal, W.H. Armstrong (Chestnut Hill, MA, USA)

Gold binding sites in red blood cells 271
Y. Zhang, E.V. Hess, K.G. Pryhuber, J.G. Dorsey, K. Tepperman, R.C. Elder (Cincinnati, OH, USA)

Magnetic properties of binuclear manganese(II), cobalt(II), nickel(II) and copper(II) complexes of a macrocyclic ligand derived from pyridine-*N*-oxide, and crystal structure of the nickel complex 281
A.B. Blake, E. Sinn, A. Yavari (Hull, UK), B. Moubaraki, K.S. Murray (Clayton, Vic., Australia)

Synthesis, structure and reactivity of stable dianionic organometallic complexes of Pt(IV). Crystal structure of $[PEtPh_3]_2[cis\text{-}Pt(C_6F_5)_2Cl_4]$ and $[NBu_4][mer\text{-}Pt(C_6F_5)_2Cl_3(NH_2\text{-}p\text{-}C_6H_4CH_3)]$. 291
J.M. Casas, A. Martín, J. Oliva, M. Tomás (Zaragoza, Spain)

Dinuclear gold(I) and silver(I) derivatives with bridging phosphines containing an imidazole ring; X-ray crystal structure of (1-benzyl-2-imidazolyl)diphenylphosphinegold(I)chloride 299
A. Burini, B.R. Pietroni, R. Galassi (Camerino, Italy), G. Valle (Padua, Italy), S. Calogero (Venice, Italy)

Cycloheptatrienyl bridged heterobimetallic complexes: fluxional behavior and X-ray crystal structure of *syn*-$(\mu^3\text{:}\eta^2\text{-}C_7H_7)Fe(CO)_3Pd(\eta^3\text{-}C_3H_5)$ 307
W. Fu, R. McDonald, J. Takats (Edmonton, Alta., Canada), A.H. Bond, R.D. Rogers (DeKalb, IL, USA)

Synthesis and structure of tris[dihydrobis(pyrazolyl)borate](tetrahydrofuran)uranium(III), $U[H(\mu\text{-}H)Bpz_2]_3(THF)$: three-center B–H···U(III) interactions in the presence of coordinated THF ligand. 315
Y. Sun, J. Takats (Edmonton, Alta., Canada), T. Eberspacher, V. Day (Lincoln, NE, USA)

Synthesis, structure and solid-state polymerization of dimethyl(propynoato)thallium 323
M.J. Moloney, B.M. Foxman (Waltham, MA, USA)

The effect of salt on selectivity in water soluble hydroformylation catalysts. 329
H. Ding, B.E. Hanson, T.E. Glass (Blacksburg, VA, USA)

Synthesis and structure of titanium tetrathiolate and tantalum pentathiolate complexes. Metal–sulfur bonding in early transition metal compounds. 335
D.T. Corwin, Jr., J.F. Corning, S.A. Koch, M. Millar (Stony Brook, NY, USA)

Metal–silicon bonding energetics in organo–group 4 and organo–f-element complexes. Implications for bonding and reactivity 343
W.A. King, T.J. Marks (Evanston, IL, USA)

The higher hydridospherosiloxanes: synthesis and structures of $H_nSi_nO_{1.5n}$; $n = 12,14,16,18$ 355
P.A. Agaskar, W.G. Klemperer (Urbana, IL, USA)

Reaction of $Rh_2(\mu^2\text{-}O_2CCH_3)_3[\mu^2\text{-}(C_6H_4)PMePh](HO_2CCH_3)_2$ with triphenylphosphine: rearrangement of the metalated $PMePh_2$ ligand and formation of a compound with a diphenylphosphinomethanide group in (P,C) coordination; crystal structure of $[Rh_2(\mu^2\text{-}O_2CCH_3)_2\{\mu^2\text{-}(CH_2)PPh_2\}\{\mu^2\text{-}(C_6H_4)PPh_2\}(PPh_3)]\cdot 2CH_2Cl_2$. 365
F. Estevan (Burjassot-Valencia, Spain), S. García-Granda (Oviedo, Spain), P. Lahuerta, J. Latorre, E. Peris, M. Sanaú (Burjassot-Valencia, Spain)

Acetonitrile complexes of diiridium
Part 1. Isolation and characterization of the partially solvated cations $[Ir_2(COD)(\mu\text{-form})_2(MeCN)_3]^{2+}$ and $[Ir_2(\mu\text{-form})_2(MeCN)_6]^{2+}$ (COD = 1,5-cycloocatadiene, form = *N*,*N*′-di-*p*-tolylformamidinate) 373
K.R. Dunbar, S.O. Majors, J.-S. Sun (East Lansing, MI, USA)

On correlating the frequency of the $^7F_0 \rightarrow {}^5D_0$ transition in Eu^{3+} complexes with the sum of 'nephelauxetic parameters' for all of the coordinating atoms 383
S.T. Frey, W.DeW. Horrocks, Jr. (University Park, PA, USA)

Low-nuclearity titanium oxoalkoxides: the trititanates $[Ti_3O](OPr^i)_{10}$ and $[Ti_3O](OPr^i)_9(OMe)$ 391
V.W. Day, T.A. Eberspacher (Lincoln, NE, USA), Y. Chen, J. Hao, W.G. Klemperer (Urbana, IL, USA)

An X-ray determination of the electron distribution in crystals of hexapyridine-*N*-oxide cobalt(II) perchlorate and the electronic structure of the Co^{2+} ion. 407
J.S. Wood (Amherst, MA, USA)

Structure and reactivity of an intermediate in the two-electron reduction of dimolybdenum(III) by a hydride ligand in the Mo–H–Mo system 417
M. Ardon, A. Bino (Jerusalem, Israel)

Synthesis and identification of pentachloropyridinemolybdate(III) and pentabromopyridinemolybdate(III): crystal structures of $[NH_2(CH_3)_2]_2[MopyCl_5]$ and $[N(CH_3)_4]_2[MopyCl_5]$ (py = pyridine) 421
J.V. Brenčič, I. Leban, B. Modec (Ljubljana, Slovenia), O. Carugo (Pavia, Italy)

The binding of dinucleoside phosphonates in the active site of the metallo-enzyme, Staphylococcal nuclease: synthetic, solution and preliminary crystallographic studies 425
P.W. Tucker (Dallas, TX, USA), M.D. Edge, G.H. Jones, J.G. Moffatt (Palo Alto, CA, USA)

An analysis of the bonding in some 'nonclassical' d^0 and d^{10} metal carbonyl complexes 437
M.A. Lynn, B.E. Bursten (Columbus, OH, USA)

Metal–metal bonding in pentamethylcyclopentadienylmolybdenum(IV) dinuclear compounds: chloride abstraction from non-bonded $Cp^*_2Mo_2Cl_6$ to afford bonded $[Cp^*_2Mo_2Cl_5]$ 445
F. Abugideiri, J.C. Fettinger, R. Poli (College Park, MD, USA)

Chemical bonding and electronic structure in the ionic species $CrNO^{2+}$ and $[Cr(H_2O)_5NO]^{2+}$ by all electron ab initio multi configuration self consistent field calculations 455
I. Shim (Lyngby, Denmark), K.A. Gingerich (College Station, TX, USA), K. Mandix (Lyngby, Denmark), X. Feng (College Station, TX, USA)

Cycloheptatrienyl bridged heterobimetallic complexes: synthesis, fluxional behaviour and X-ray crystal structure of *syn*-$[(\mu\text{-}\eta^3;\ \eta^2\text{-}C_7H_7)Fe(CO)_3Pt(\eta^2,\sigma^1\text{-}C_8H_{12}\text{-}C_5H_5)]$ 461
M. Airoldi (Palermo, Italy), T. Beringhelli (Milan, Italy), G. Deganello, G. Gennaro (Palermo, Italy), M. Moret (Milan, Italy), F. Saiano (Palermo, Italy), A. Sironi (Milan, Italy)

Notes

Ultrafast studies of metal–metal bond cleavage in $Fe_3(CO)_{12}$ in solution 469
N.J. Tro, J.C. King, C.B. Harris (Berkeley, CA, USA)

Preparation and structure of the face-sharing bioctahedral ion $[Mo_2Cl_8(PEt_3)]^2$ 473
K. Vidyasagar (College Station, TX, USA)

Hexacoordinated complexes of bivalent zinc incorporating thioether binding 477
P. Chakraborty, S.K. Chandra, A. Chakravorty (Calcutta, India)

Preparation and crystal structure of the cluster complex $Os_7H_2(CO)_{21}P(OMe)_3$ 483
G.L. Powell, T.F. Tekut (Abilene, TX, USA)

Conference Calendar 487

Author Index 489

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.